

QuecPython PH-7(C4-P02) 核

LPWA<E Standard

1.0.0

2024-04-30



1016
+86 21 5108 6236

3 B 5
info@quectel.com

200233

<http://www.quectel.com/cn/support/sales.htm>

<http://www.quectel.com/cn/support/technical.htm>

support@quectel.com

- 1)
- 2)
- 3)

- 4)

©

2023

Copyright © Quectel Wireless Solutions Co., Ltd. 202

1.0.0 2024-04-30 Bruce

	3
	4
	4
	6
1	7
1.1.	7
1.2.	7
2	8
3	9
4	11
4.1.	11
4.2.	13
4.2.1. USB	13
4.2.2.	13
4.2.3.	13
4.2.4. GNSS	13
4.2.5. SD SIM	13
4.2.6. Flash	13
4.2.7.	13
4.2.8. ADC	14
4.2.9.	14
4.2.10. PSM	14
5	15
6	17
6.1.	17
6.2.	18
7	19
7.1.	19
7.2.	19
7.3.	19
8	20
8.1.	20

1	7
2	7
3	9

4	BOOT	10
5	12
6	17
7	I/O	17
8	18
9 !	
10	20

1

PH-7 2.54mm 38PIN

设计理念: PH-7

Be water , My friend.

	Python	Open	Python
Python		https://python.quectel.com/download	
Python	API	https://python.quectel.com/doc/API_reference/zh/index.html	

1.1.

1

QuecPython BG&EG

2



	BG95	BG96	EG915UEUAB	EG915ULAAB
QuecPython BG&EG	EG912UGLAA	EG		
	Python	API		QuecPython

1.2.

GPIO/UART/IIC/SPI/USB

EG		
Python		Open C

2



1 PH-7(C4-P02)

3 核

PH-7

3

		-35 ~ 75	1
		-40 ~ 85	2
<hr/>			
	2.54mm	Type-C (USB2.0/USB3.0)	
	USB	5.1V:3A	5V:2A
		16V:3A	5V:2A
	BAT	3.7V	
<hr/>			
<hr/>			
<hr/>			
<hr/>			
UART			(2.54mm)
SPI			(2.54mm)
IIC			(2.54mm)
USB*1	USB	Type-C	Python
	PWR		
	NET	P21	
LED*7	SK1	SIM1	SIM 1
		SIM 1	
	SK2	SIM2	SIM 2
		SIM 2	EG
	PSM	PSM	PSM

	CHR			
	STD			
ADC		ADC0	VBAT	VBAT:ADC0=4:1
GPIO		GPIO		2.54mm
Level_Line		2.3V-5.5V 3.3V		IC host
PWM			2.54mm	
LT_EN				
PON	PSM	PSM_EINT	PSM	
MIC&SPK				
PA	PA		SPK PA	
4	BOOT			
	EG	EG		
	BG	BG		
BOOT	USB_BOOT			


1.		3GPP	
2.			3GPP
	3GPP		

4

PH-7

4.1.


EG915U



5

GPIO14		BG_CS1		BG&EG_SDA1	P41	X1	S1	SPK_N	Y1	GND					
GPIO13		BG_CLK1		BG&EG_SCL1	P40	X2	S2	SPK_P	Y2	POWERKEY					
BG_GPIO16	BG_RX2	BG_MISO1			P65	X3	S3	MIC_N	Y3	VDD_EXT					
GPIO15	BG_TX2	BG_MOSI1		EG_MOSI0	P64	X4	S4	MIC_P	Y4	P20			EG_PWM0	BG_GPIO22	EG_GPIO16
GPIO21				EG_MISO0	P88	X5	S5	PA	Y5	P85		BG_PWM1		BG_GPIO18	EG_GPIO18
			BG_CS0	EG_CS0	P25	X6									

5




3

U.FL-LP

Part No.	U.FL-LP-040	U.FL-LP-066	U.FL-LP(V)-040	U.FL-LP-062	U.FL-LP-088
Mated Height	2.5mm Max. (2.4mm Nom.)	2.5mm Max. (2.4mm Nom.)	2.0mm Max. (1.9mm Nom.)	2.4mm Max. (2.3mm Nom.)	2.4mm Max. (2.3mm Nom.)
Applicable cable	Dia. 0.81mm Coaxial cable	Dia. 1.13mm and Dia. 1.32mm Coaxial cable	Dia. 0.81mm Coaxial cable	Dia. 1mm Coaxial cable	Dia. 1.37mm Coaxial cable
Weight (mg)	59.7	59.1	54.6	45.5	71.7
RoHS			YES		

4 U.FL-LP



6.2.

ESD

8

±4000	±8000	V
±4000	±8000	V
±500	±1000	V

8

8.1.

10

[1] [QuecPython-PH-7C4-P02 Core Board Specification and User Guide V1.0.0](#)

[2] [QuecPython-PH-7C4-P02 Schematic Diagram](#)

[3] [QuecPython-PH-7C4-P02 Silkscreen](#)